

CITY OF HUGHSON COMMUNITY DEVELOPMENT DEPARTMENT

Addendum Number 1

SEWER IMPROVEMENTS ON TULLY ROAD AND SECOND STREET

To all bidders under specifications for Request for Bids for the Construction of **SEWER IMPROVEMENTS ON TULLY ROAD AND SECOND STREET**, which are to be received by the City of Hughson, until 11:00 A.M. on Wednesday, April 27, 2022:

The intent of this Addendum No. 1 is to Revise Pipe Specifications for Pipe Bursting and to Revised Bid opening date to April 27, 2022 11.00 am:

I. Part I: Bid

- a. Replace the Bid Opening date on the Title Sheet

Bids to Be Opened On: Wednesday, April 27, 2022 11:00a.m.

II. Bidder's Bond Sewer Improvements on Tully Road And Second Street

- a. Replace the second paragraph with the following:

Whereas, the Principal is submitted to the oblige for: demolition, clearing, grubbing, drainage improvements, sidewalk construction, pavement work, signs and striping for which bids are to be opened at the office of the City Clerk of the City of Hughson, in City Hall, 7018 Pine Street, Hughson, CA 95326 on Wednesday, April 27, 2022 at 11:00 a.m.

III. Part II: Notice To Bidders & Special Provisions

- a. Replace the Bid Opening date on the Title Sheet

BID OPENING- APRIL 27, 2022, IMMEDIATELY AFTER 11:00 A.M.

IV. Notice to Bidders

- a. Replace the first paragraph with the following

Sealed bids will be received at the Office of the City Clerk of the City of Hughson, in City Hall, 7018 Pine Street, Hughson, CA 95326 until 11:00 a.m. on APRIL 27, 2022, for SEWER IMPROVEMENTS ON TULLY ROAD AND SECOND STREET, at which time they will be publicly opened and read.

- b. Replace the fifth paragraph with the following:

Pre-Bid Meeting: A non-mandatory pre-bid meeting is scheduled for 2:00 p.m. on April 12, 2022, location will be on the project at intersection of Tully Road and Santa Fe Ave in Hughson, CA 95326.

V. Revised Bid Schedule is Attached.

- a. The revised bid schedule (pages 6a and 7a) shall replace the bid schedule pages 6 and 7 included with the original bid document.

VI. Section 10-1.30

- a. Replace the section with the following:

Sanitary sewer pipe **for trench installation** shall be PVC SDR-35 and shall conform to the provisions in Section 6, "Sewers," of the City of Hughson Standard Specifications and these special provisions. **Pipe bursting shall conform to section 10-1.33 of these special provisions.**

VII. Section 10-1.31

- a. Replace the first paragraph with the following:

Trenching and excavation for open trench construction shall be performed in accordance with Section 6, "Sewers" of the City of Hughson Standard Specifications and as Specified in the Plans.

- b. Remove the second paragraph.

VIII. Section 10-1.33

- a. Add the following to the bottom of the Reference Specifications, Codes, and Standards Section:

ASTM D2321 "Standard Practice for Underground Installation of Thermoplastic Pipe for Sewers and Other Gravity-Flow Applications"

ASTM D3212 "Standard Specification for Joints for Drain and Sewer Plastic Pipes Using Flexible Elastomeric Seals"

- b. Replace the First Paragraph of the Pipe Joining Section:

The polyvinyl chloride (PVC) pipe shall be assembled and joined at the side using the buff-fusion method to provide a leak proof joint. Threaded or solvent-cement joints and connections are not permitted. All equipment and procedures shall be used in strict compliance with the manufacturer's recommendations.

Mechanical Joints shall meet ASTM requirements.

- c. Replace the First Paragraph of the Payment Section:

Install 10-Inch PVC SDR-26 (Pipe Bursting) shall be paid at the contract unit price per **linear foot (LF)** installed of the pipe specified, and shall include full compensation for furnishing all labor, materials, tools, equipment and back up equipment necessary for pipe bursting, pipe placement; transportation and technical competence, saw cutting, excavation, shoring and backfilling per the manufacturers' instructions and/or per the Contract Documents; cutting and/or removing pipe lining; replacement of any pavement markers and striping; temporary by-passing of other utility services; cleanup, off-site disposal of all

refuse and excess material; de-watering as necessary, shoring, temporary and permanent restoration of surfaces and pavement and all appurtenant work.

The Special Provisions as originally issued shall be used in submitting bids, and acknowledgment of receipt of all Addendum's shall be entered within the Bid Proposal. Failure to provide such acknowledgment shall render the bid as non-responsive and subject to rejection.

Date:

BY ORDER OF THE CITY OF HUGHSON
COMMUNITY DEVELOPMENT DEPARTMENT

Prepared By _____
Willdan Engineering